

Instructions regarding your Basivertebral Nerve Ablation with MAC

ack pain. It is implant-free and preserves the enter for the sensory nerves within the center to treat vertebrogenic pain (pain coming from ain that increases with sitting, bending forwardinght, morning stiffness, or worsening of synthis procedure is done at Specialist One Day yracuse . In the preoperative area you will; much receive an IV. In the surgical suite, you we dedication given through your IV. You will be conitored anesthesia care (MAC). A trained at hile you are asleep. Next, your specially train trained as a second to the affected space. Under fluoroscop annula is advanced to create a channel to the enterty second inserted into the curved path and place enerator is used to destroy the basivertebral report of the second in the second control of the	the vertebra or vertebral column). This is low back rd, or coughing/sneezing, constant back pain, pain
o treat vertebrogenic pain (pain coming from ain that increases with sitting, bending forward inight, morning stiffness, or worsening of synthis procedure is done at Specialist One Day yracuse. In the preoperative area you will; mad receive an IV. In the surgical suite, you will dedication given through your IV. You will be conitored anesthesia care (MAC). A trained at thile you are asleep. Next, your specially train excess to the affected space. Under fluoroscop annula is advanced to create a channel to the endles used for other nerve block procedures robe is inserted into the curved path and place enerator is used to destroy the basivertebral roor 15 minutes. Once destroyed (ablated) these ay repeat this step in several other vertebra, a othing behind. You will be transferred to the inutes before going home. In general, you will have your procedure 6-9 in escheduling we will need the following: Recent lumbar spine MRI	the vertebra or vertebral column). This is low back rd, or coughing/sneezing, constant back pain, pain mptoms with increased exercise. Surgery Center on East Taft Road in North neet the team, review the procedure, sign consents will be put to sleep by the anesthesia team with a reable to breath on your own. This is known as nesthesia clinician will monitor you continually need physician will make a small incision to gain being guidance (live X-ray), the Intracept Introducer basivertebral nerve. The cannula is similar to the you may have had. The Intracept Radiofrequency red at the basivertebral nerve. The Radiofrequency ed at the basivertebral nerve. The Radiofrequency nerve with thermal energy. This energy is applied a nerves no longer transmit pain signals. Your doctor after which the incisions are closed – leaving post-operative area where you will spend 30-45
yracuse. In the preoperative area you will; mend receive an IV. In the surgical suite, you we dedication given through your IV. You will be dedication given through your IV. You will be dedicated anesthesia care (MAC). A trained at hile you are asleep. Next, your specially train cross to the affected space. Under fluoroscop annula is advanced to create a channel to the dedles used for other nerve block procedures to be inserted into the curved path and placed enerator is used to destroy the basivertebral report 15 minutes. Once destroyed (ablated) these deay repeat this step in several other vertebra, a dething behind. You will be transferred to the dinutes before going home. In general, you will have your procedure 6-9 me scheduling we will need the following:	neet the team, review the procedure, sign consents will be put to sleep by the anesthesia team with a e able to breath on your own. This is known as nesthesia clinician will monitor you continually ned physician will make a small incision to gain bic guidance (live X-ray), the Intracept Introducer basivertebral nerve. The cannula is similar to the you may have had. The Intracept Radiofrequency ed at the basivertebral nerve. The Radiofrequency nerve with thermal energy. This energy is applied a nerves no longer transmit pain signals. Your doctor after which the incisions are closed – leaving post-operative area where you will spend 30-45
Clearance from your primary care provider Clearance from any specialist you see i.e. Car ou will be contacted with the procedure date.	rdiologist, Pulmonologist, Oncologist, /time. If you are unable to accept the date and time,
Pocedure is performed. You MUST tell your doctor BEFORE this produced in the	chesia, you MUST tell your doctor BEFORE the cedure if you are taking blood thinners, have a blood ction or have an uncontrolled infection.
7-14 days post ablation to meet with your 13 weeks with a nurse practitioner /physics 6 months with your physician	performing physician
 Pain in the area where the cannula(s) was inserted. The pain can last for two to three days and can be treated by using ice and mild analgesics (pain medication) such as Motrin, Naprosyn or Tylenol. Nerve injury including puncture of the spinal cord or nerve roots potentially resulting in radiculopathy, paresis or paralysis Burns, vascular puncture, dural tear, embolism of fat, thrombus or other materials resulting in symptomatic pulmonary embolism or other clinical sequelae 	 * Pedicle or vertebral body fracture * Bleeding, seizure, infection and/or bruising in the injection area. Increased pain * A reaction to the local anesthetic, including but not limited to: allergic reaction to the anesthetic medication, loss of consciousness, depressed breathing and cardiac arrest requiring transport to the emergency room. * Deep or superficial wound infection * Pneumothorax, Hematoma
	ou will be contacted with the procedure date our wait time may need to be extended. you have ever had an allergic reaction to anest occdure is performed. You MUST tell your doctor BEFORE this prosease that affects clotting, have a bowel obstruted a bowel obstruted that affects clotting, have a bowel obstruted to months with a nurse practitioner physical to months with your physician * Pain in the area where the cannula(s) was inserted. The pain can last for two to three days and can be treated by using ice and mild analgesics (pain medication) such as Motrin, Naprosyn or Tylenol. * Nerve injury including puncture of the spinal cord or nerve roots potentially resulting in radiculopathy, paresis or paralysis * Burns, vascular puncture, dural tear, embolism of fat, thrombus or other materials resulting in symptomatic pulmonary embolism or other

Instructions regarding your Basivertebral Nerve Ablation

Will I receive a pre-procedure telephone call?	A nurse from our office will call you 24-48 hours prior to your procedure. She will ask you a few important medical questions, <u>AND</u> she will confirm your appointment. We must have <u>a verbal</u> <u>confirmation from you 24-48 hours prior to your procedure.</u> Failure to return our call could result in your procedure being rescheduled.
Where can I obtain more procedure information?	Please visit our website www.nyspineandwellness.com . It contains demonstrations of some of the procedures we offer. We also have other helpful information.
Can I drive home from the procedure?	You <u>MUST</u> have a ride home, and your driver should remain on site. You must not drive or operate heavy machinery for 24 hours. You are required to bring an adult (18 or older) driver that is able to assist you home from the procedure.
Can I eat breakfast or lunch?	No, DO NOT EAT OR DRINK for 8 hours before your procedure. However, you may take your medicine but only with a small sip of water .
Can I take aspirin, or products containing aspirin or anti-inflammatories (NSAIDs)?	NO. You must STOP taking ASPIRIN, products containing ASPIRIN*, and NSAIDs**(anti-inflammatories), 7 days prior to the date of your procedure. If you take FELDENE or DAYPRO, you must stop taking this drug 10 days prior to the date of your procedure. *Examples of ASPIRIN-containing products include but are not limited to: EXCEDRIN, FIORINAL, ALKA SELTZER, ECOTRIN, etc. ** Examples of NSAIDS include but are not limited to: Meloxicam (Mobic), Naproxen Sodium (Aleve), Motrin (ibuprofen, Advil), Naproxen (Naprosyn, Naprelan), Celebrex, Indomethacin (Indocin), Nabumetone (Relafen).
Can I take my blood thinner?	NO. Our provider will advise you of the number of days to hold your blood thinner. Sometimes we may have to contact the physician who has prescribed the blood thinner for you to learn how long it is safe for you to be off the medicine prior to your procedure. If our provider does not advise you of this, one of our nurses will call you when we have obtained that information from your physician.
Can I take my other medications?	Yes, only with a small sip of water (you must NOT take your blood thinner).
What time is my procedure?	You will receive a phone call one or two business days prior to your procedure to remind you of the time you should arrive for your procedure (usually 60 minutes prior to the scheduled time) and the location. PLEASE BE ON TIME.
How long will it take?	We ask that you plan 1½ -6 hours from the time you arrive at the center to the time you are discharged. Please understand that circumstances sometimes arise that are out of our control, which cause a longer delay. Please plan accordingly.
What do I bring?	Your current insurance information A written list of all medications <u>including strength and frequency</u> . Please include over the counter medication, vitamins and herbal supplements.
Can I wear jewelry? What do I do if I am ill or have to cancel?	No. Please leave all jewelry and other valuables at home. We are unable to store them safely. Any body-piercing jewelry must be completely removed, as this may interfere with the x-ray machine. Please call our office 24 hours in advance if you are unable to keep your appointment. (315) 552-6700. We do charge patients for no call/no shows.